

22/2/2014

Update of a RAX Converted radio Customtronix RAX



Chapter

- 1 - Getting ready for action
- 2 - Updating with the USB stick
- 3 - Troubleshooting..

Following manual shows how to update to software 13.XX.X Later versions of the software use the the same process and method.

NOTE: Depending on what version and OS you have on your PC, the ZIP/Archive icons may look different. Settings on your PC may or may not display file extensions. That is why there are some differences between our manual and what you actually see on your PC. You can adjust settings before you starts if graphic issues is of importance for you.

www.customtronix.com

Chapter 1 – Getting ready for action..

First of all, You will need one (1) USB-stick formatted to FAT32 and completely empty before you start. Update does only requires 1 USB stick compared to conversion that needs 2 USB sticks.



Download the file “RAX-13-XX-X-update.rar” from appropriate source.

Extract the “RAX-13-XX-X-update.rar” to the USB stick 1.

USB stick should look something like this after:


..			Folder		
swdl-fo.iso	1 479 092 ...	1 248 385 211	Imagefiler	2014-02-21 22:37	5F592578

Chapter 2 – Updating with the USB stick 1.



After inserting USB-stick #1, please wait for a while for the update to be authenticated. This usually takes about two minutes or so.

When the USB-stick is authenticated, please choose “yes” to initiate the update. See below for example (it should show 13.XX.X or any later version).



The update procedure will now commence after a quick automatic reboot. As the system reboots, the screen will fade out and then show this update screen. As the system reboots, it may look like it has just crashed, but please be patient.

***Please
Wait...***

Chapter 3 – Troubleshooting..

Q: Inserted the USB-stick in the car but nothing happens, why?

A: Inside the center console you have two USB-ports. One is for charging only and can not be used, so make sure to use the right one. See photos under chapter 2 for more information. Also verify that the file structure of the USB-stick is correct. See chapter 1 and chapter 2 for more information.